



Shown: Model No. 7402-BD

SPECIFICATION

Single Toilet Roll Holder shall hold and dispense all standard core roll tissue, up to 152mm diameter and shall be of one piece construction fabricated of alloy 18-8 stainless steel, grade 304. Outer shell shall have two (2) perforated lugs for wet wall anchoring or two (2) dimple holes for dry wall installation. Roller shall be chrome plated high impact resistant ABS plastic and shall be spring-loaded. Mounting style shall be wet wall or dry wall as chosen by option and indicated by code suffix. All dry wall installations require a JDM-39 mounting clamp.

INSTALLATION

Wet wall installation: Slop grout into rough wall opening. Apply grout to back of unit and on lugs and push unit into opening. Set flange flush with face of finished wall. Dry wall installation: Fasten unit to wall opening with (2) two No. 10 self tapping screws (supplied by others) through dimpled holes at back of shell. If dry wall clamp (Model No. 39, specified separately) is used, loosely attach mounting clamp to back of unit with two (2) 8-32 machine screws (supplied by others). Insert unit into wall opening and adjust clamp so that it grips surface inside opening. Secure unit by tightening screws. For mounting height standards refer to current Building Code of Australia for able bodied and/or disabled use. Rough wall opening (RWO) required is 140mm x 140mm x 51mm.


OPTIONS

Optional finish and mounting style must be specified as either bright or satin and wet or dry wall. Specify finish and mounting by adding code suffixes to model number

7402-BD	Bright Recessed Stainless Steel
7402-SD	Satin Recessed Stainless Steel
7402-HBD	Hooded Bright Recessed Stainless Steel
7402-HSD	Hooded Satin Recessed Stainless Steel
7402-BSM	Bright Surface Mounted Stainless Steel
7402-SSM	Satin Surface Mounted Stainless Steel
7402-HBSM	Surface Mounted, Hooded Bright Stainless Steel
7402-HSSM	Surface Mounted, Hooded Satin Stainless Steel

Option-S = Satin finish
 Option-B = Bright polish finish
 Option-W = Wet wall installation
 Option-D = Dry wall installation

Single Toilet Roll Holder shall be Model No. 7402-xx as supplied by JD MacDonald. (JDM-39 mounting clamp for dry walls).

 All JD MacDonald disabled compliant products when installed must be in accordance with AS1428 to ensure the specified product is complying with all washroom specification requirements.

