

Little customers Big business





Luxury or necessity...

Let's be honest, nappy changing in a public space can be a dirty business – ask any new parent! How many times have parents left shopping centres, restaurants or recreational facilities to change their child in the back of their car or even over a bathroom sink making the whole exercise dangerous, time consuming and just plain difficult. New parents are active consumers and

without creative childcare solutions, profits will walk out the door. Catering to the littlest of customers can mean continued and increased patronage through word of mouth. With this in mind, JD MacDonald understands the value of bathroom real estate. Each childcare piece has been designed to fit seamlessly into modern commercial spaces. Better still, JD MacDonald

baby change stations can fold away neatly which is a fantastic space saver. Neutral finishes and minimalist in appearance was the visual design brief for each piece. And we nailed it. Function, form, reliability, durability are delivered in this range without sacrificing the low profile and stylish look and finish. Each childcare piece is ergonomic, safe, hygienic and



easy to clean. The JD MacDonald range of baby change stations comes in a variety of options. They include surface mounted and recessed parallel or vertical stainless steel units and also surface mounted polyethylene units. Each baby change station has a \$10 million product liability insurance policy and a five-year replacement warranty against vandalism*. Baby change stations are also backed by an extensive five-year* warranty and

are easy to install. We also know that nappy changing can be messy, but what about when it's time to feed a baby or toddler? This can be just as difficult, especially in a public



space. The JD MacDonald range of space saving, ergonomic high chairs are mainly made of high density polyethylene, which resists odours and is very easy to clean. They also look great and are available in either green, blue, dark brown or dark grey complimenting a range of interiors. Creative childcare solutions can turn a potential problem into an opportunity and the simple truth is, they're not a luxury but a necessity!

* Vandalism policy and five-year warranty apply subject to installation and maintenance in accordance with the installation and operating instructions supplied.



BCP-JDM

Features:

- Surface Mounted Parallel Classic Baby Change Station includes a concealed pneumatic gas spring mechanism for smooth, safe and effortless opening and closing
- The compact, slim profile can fit into the smallest of washrooms
- The hygienic, non-absorbent child safety strap features a lockable two step cam-buckle providing effortless size adjustment with one hand
- This easy to clean unit resists odours and bacterial growth
- Safety information and universal instruction graphics including Braille are illustrated on easy to read labels
- Dual moulded liner dispensers hold approximately 25 liners each
- Convenient bag hooks are located on both sides of unit

Installation details:

- Simple and quick to install with step-by-step instructions and all mounting hardware supplied
- Mounting caps provided to conceal screw holds for a quality finish
- Unique wall bracket mounting system spreads load-bearing force on wall, improving safety and facilitating easy retrofitting

Materials:

- High density polyethylene body (HDPE)

Surface Mounted model

Overall dimensions:

- 870mm (W) x 445mm (H) x 97mm (D)



BCP-SSC

Recessed: BCP-SSC-R

Surface Mounted: BCP-SSC-SM

Features:

- Vandal resistant, Recessed or Surface Mounted Parallel Baby Change Station with Stainless Steel Clad incorporates a polyethylene interior with a stainless steel exterior
- Includes a concealed pneumatic gas spring mechanism for smooth and safe opening and closing
- The hygienic, non-absorbent child safety strap features a lockable two step cam-buckle providing effortless size adjustment with one hand
- This easy to clean unit resists odours and bacterial growth
- Safety information and universal instruction graphics are illustrated on easy to read labels
- Dual moulded liner dispensers hold approximately 25 liners each
- Convenient bag hooks are located on both sides of unit
- Seamless finish with rounded corners for safety
- Stainless steel frame and hinges provide maximum durability

Installation details:

- Simple and quick to install with step-by-step instructions and all mounting hardware supplied
- Mounting caps provided to conceal screw holds for a quality finish

Materials:

- Door and frame shall be 304 grade, 16 gauge stainless steel with a brushed finish
- High density polyethylene body (HDPE) with stainless steel clad exterior

Recessed model

Rough Wall Opening:

- 902mm (W) x 495mm (H) x 102mm (D)

Surface Mounted model

Overall dimensions:

- 953mm (W) x 549mm (H) x 102mm (D)



BCP-SS

Recessed: BCP-SS-R

Surface Mounted: BCP-SS-SM

Features:

- Vandal resistant, Recessed or Surface Mounted Parallel Baby Change Station with Full Stainless Steel includes a concealed pneumatic gas spring mechanism for smooth and safe opening and closing
- The hygienic, non-absorbent child protection strap features a lockable two step cam-buckle providing effortless size adjustment with one hand
- The ABS changing surface is easy to clean and resists odours and bacterial growth
- Safety information and universal instruction graphics are illustrated on easy to read labels
- Ideal for use in unsupervised, low maintenance facilities such as parks and rest areas that may be subject to vandalism
- Stainless steel frame and hinges provide maximum durability
- Protruding corners protected with plastic covers for maximised changer bed safety
- Edges of the stainless steel unit are protected with a continuous PVC extrusion

Installation details:

- To surface mount, a finishing collar that seats behind the changers outside flange must be incorporated (supplied separately)
- Simple to install with step-by-step instructions supplied

Materials:

- Full body shall be 304 grade, 16 gauge stainless steel with a brushed finish and seamless welds
- Insulated ABS replaceable changing surface that is smooth and concave

Recessed model

Rough Wall Opening:

- 870mm (W) x 552mm (H) x 89mm (D)

Surface Mounted model

Overall dimensions:

- 904mm (W) x 591mm (H) x 102mm (D)



BCV-JDM

Features:

- Surface Mounted Vertical Classic Baby Change Station includes a concealed pneumatic gas spring mechanism for smooth, safe and effortless opening and closing
- The compact, slim profile can fit into the smallest of washrooms
- The hygienic, non-absorbent child safety strap features a lockable two step cam-buckle providing effortless size adjustment with one hand
- This easy to clean unit resists odours and bacterial growth
- Safety information and universal instruction graphics including Braille are illustrated on easy to read labels
- Dual moulded liner dispensers hold approximately 25 liners each
- Convenient bag hooks are located on both sides of unit

Installation details:

- Simple and quick to install with step-by-step instructions and all mounting hardware supplied
- Mounting caps provided to conceal screw holds for a quality finish
- Unique wall bracket mounting system spreads load-bearing force on wall, improving safety and facilitating easy retrofitting


Materials:

- High density polyethylene body (HDPE)

Surface Mounted model

Overall dimensions:

- 493mm (W) x 812mm (H) x 100mm (D)



BCV-SS

Recessed: BCV-SS-R

Surface Mounted: BCV-SS-SM

Features:

- Vandal resistant, Recessed or Surface Mounted Vertical Baby Change Station with Full Stainless Steel includes a concealed pneumatic gas spring mechanism for smooth and safe opening and closing
- The hygienic, non-absorbent child safety strap features a lockable two step cam-buckle providing effortless size adjustment with one hand
- The ABS changing surface is easy to clean and resists odours and bacterial growth
- Safety information and universal instruction graphics are illustrated on easy to read labels
- Ideal for use in unsupervised, low maintenance facilities such as parks and rest areas that may be subject to vandalism
- Stainless steel frame and hinges provide maximum durability
- Protruding corners protected with plastic covers for maximised changer bed safety
- Edges of the stainless steel unit are protected with a continuous PVC extrusion

Installation details:

- To surface mount, a finishing collar that seats behind the changers outside flange must be incorporated (supplied separately)
- Simple to install with step-by-step instructions supplied

Materials:

- Full body shall be 304 grade, 1.6 gauge stainless steel with a brushed finish and seamless welds
- Insulated ABS replaceable changing surface that is smooth and concave

Recessed model

Rough Wall Opening:

- 553mm (W) x 870mm (H) x 89mm (D)

Surface Mounted model

Overall dimensions:

- 591mm (W) x 904mm (H) x 102mm (D)



ECP-SS

Recessed: ECP-SS-R

Surface Mounted: ECP-SS-SM

Features:

- Vandal resistant, Recessed or Surface Mounted Parallel Extended Change Station with Full Stainless Steel for use by older children and adults includes a dual concealed pneumatic gas spring mechanism for smooth and safe opening and closing
- The hygienic, non-absorbent safety strap features a lockable two step cam-buckle providing effortless size adjustment with one hand
- The ABS changing surface is easy to clean and resists odours and bacterial growth
- Safety information and universal instruction graphics are illustrated on easy to read labels
- Ideal in special needs schools, schools with integrated programs, aquatic centres and major sporting centres
- Steel frame and hinges provide maximum durability
- Protruding corners protected with plastic covers for maximised changer bed safety
- Edges of the stainless steel unit are protected with a continuous PVC extrusion

Installation details:

- To surface mount, a finishing collar that seats behind the changers outside flange must be incorporated (supplied separately)
- Unit projects 102mm from wall when surface mounted
- Simple to install with step-by-step instructions supplied
- Double stud blocking must be provided

Materials:

- Full body shall be 304 grade, 1.6 gauge stainless steel with a brushed finish and seamless welds
- Insulated ABS replaceable changing surface that is smooth and concave

Recessed model

Rough Wall Opening:

- 1613mm (W) x 552mm (H) x 89mm (D)

Surface Mounted model

Overall dimensions:

- 1646mm (W) x 597mm (H) x 102mm (D)



HIGH CHAIR

Blue: HC-BLU-ASS

Dark Brown: HC-DBN-ASS

Dark Grey: HC-DGY-ASS

Green: HC-GRN-ASS

Features:

- High chair is ideal for commercial use, is light weight and compact, fitting under most standard height food service tables for more sociable dining and floor space economy
- This unit is also space efficient for stackable storage
- The hygienic, non-absorbent child safety strap is adjustable with one hand
- This fully moulded HDPE unit is easy to clean and resists bacterial growth
- Safety information and universal instruction graphics are illustrated on easy to read labels
- Constructed of durable polyethylene with a low maintenance moulded colour that will not rust, dent or chip
- The base frame colour is "greige", a combination of light grey and light beige
- Available in 4 seat colours

Materials:

- High density polyethylene body (HDPE) with a polyethylene seat

Options:

- 4 seat colours available. Blue (BLU), green (GRN), dark grey (DGY), and dark brown (DBN)
- Set of 4 castors for extra mobility (Part No. A-048-CAST)
- Replacement safety belt assembly (Part No. B016)



SSLD-R

Features:

- Recessed Stainless Steel Liner Dispenser for use in conjunction with all JD MacDonald change stations
- Holds approximately 60 LCR liners
- Ideal for use with heavy duty, full stainless steel changers (BCP-SS, BCV-SS and ECP-SS) that do not have built in liner dispensers
- Unit is complimentary for high use, low maintenance washrooms, where a boost to the standard dual liner dispenser capacity (built into JD MacDonald polyethylene change stations) is required

Installation details:

- Simple to install with hardware to be supplied by others
- Install recessed into wall separately from change station

Materials:

- Full body shall be 304 grade, 16 gauge stainless steel with a brushed finish

Recessed model

Rough Wall Opening:

- 213mm (W) x 419mm (H) x 102mm (D)

Consumables:

Sanitary liners

Liners for Baby Change Stations shall fit all JD MacDonald moulded in liner dispensers as well as the recessed stainless steel liner dispenser unit. Liners provide a hygienic barrier between the baby change and public surface. Liner size 325mm x 455mm and one carton contains 500 pre-folded liners.

Warranty:

JD MacDonald Baby Change Stations and High Chairs are guaranteed against defective materials and faulty workmanship for 5 years from date of purchase and Liner Dispensers for 1 year from date of purchase, subject to being installed and maintained in accordance with the Installation and Operating Instructions supplied with the unit.

Product Liability:

A \$10 million product liability insurance policy is maintained on all baby change stations, high chairs and liner dispensers.

Vandalism Protection:

Should any baby change station distributed by JD MacDonald be vandalised rendering the unit unsafe or unusable in the 5 year period from the date of purchase, JD MacDonald will provide a \$100 discount off the retail price when a replacement unit is purchased by the owner through JD MacDonald.



jdmacdonald.com.au

Freecall 1800 023 441 or phone your nearest JD MacDonald Sales Office

Adelaide (08) 8168 2222 **Brisbane** (07) 3205 3166 **Melbourne** (03) 9271 6400 **Perth** (08) 9271 8455 **Sydney** (02) 9756 1622

A Division of MacDonald Johnston Pty Ltd 65-73 Nantilla Road, Clayton North, Victoria 3168 Tel (03) 9271 6400 Fax (03) 9271 6485

JD MacDonald reserves the right to, and does from time to time, make changes and improvements in design and dimensions.

The photographs & line drawings of the products in this catalogue are representational only. All dimensions are in millimetres.

